

<b>Notice of Allowability</b>	Application No.	Applicant(s)
	10/605,640	MORROW ET AL
	Examiner Mike Chambers	Art Unit 3711

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1.  This communication is responsive to 1/31/05 paper.
2.  The allowed claim(s) is/are 1-19 and 21-23.
3.  The drawings filed on 15 October 2003 are accepted by the Examiner.
4.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a)  All
  - b)  Some\*
  - c)  None
  1.  Certified copies of the priority documents have been received.
  2.  Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5.  A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6.  CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
  - (a)  including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
    - 1)  hereto or 2)  to Paper No./Mail Date \_\_\_\_\_.
  - (b)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).

7.  DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

#### Attachment(s)

1.  Notice of References Cited (PTO-892)
2.  Notice of Draftsperson's Patent Drawing Review (PTO-948)
3.  Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
4.  Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5.  Notice of Informal Patent Application (PTO-152)
6.  Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_
7.  Examiner's Amendment/Comment
8.  Examiner's Statement of Reasons for Allowance
9.  Other \_\_\_\_\_.



GREGORY VIDOVICH  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 3700

**DETAILED ACTION**

**EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with V. Ilagan on April 14, 2005.

The application has been amended as follows:

In Claim 1, line 7: The term "a pair of opposing flaps" has been replaced with—  
a pair of separate and distinct opposing flaps —

In Claim 1, line 12: The term "spaced apart from one another; " has been replaced with— spaced apart from one another, and said netting is attached directly to said scoop; —

In Claim 9, line 7: The term "a pair of opposing flaps" has been replaced with—  
a pair of separate and distinct opposing flaps —

In Claim 9, line 11: The term "a netting coupled to said pair of opposing flaps; " has been replaced with— a netting coupled to said pair of opposing flaps, and said netting attached directly to said scoop; —

Art Unit: 3711

In Claim 16, line 7: The term "a pair of opposing deflecting members" has been replaced with—

a pair of separate and distinct opposing deflecting members —

In Claim 16, lines 13-14: The term "positioned therebetween;" has been replaced with— positioned therebetween, and said netting attached directly to said scoop; —

In Claim 22, line 7: The term "a pair of opposing sidewall deflecting members" has been replaced with—

a pair of separate and distinct opposing sidewall deflecting members —

#### ***Reasons for Allowance***

The prior art does not show or suggest a lacrosse stick head wherein each of the sidewalls of the head structure has a separate and distinct flap having an upper and lower portion which is coupled to said sidewall and extending inwardly towards a centerline wherein said flap is utilized for channeling a lacrosse ball into a decreased pocket sized area in addition to the other elements of the structure claimed.

#### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mike Chambers whose telephone number is (571) 272-4407. The examiner can normally be reached on Mon-Fri 8:30-5:00.


Art Unit: 3711

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Greg Vidovich can be reached on (571) 272-4415. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Michael Chambers  
Examiner  
Art Unit 3711

April 14, 2005



GREGORY VIDOVICH  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 3700